

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13507	(double twice triple several multiple multi two three time) near2 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 14:11
L2	168	((reencrypt reencrypting re-encrypt re-encrypting) near3 (destination receiver receiving subscrib\$4 target\$3 recipient end user client customer consumer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 14:48
L3	13575	1 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 14:14
L5	2525	3 and (headend head-end send\$3 transmit\$4 broadcast\$3 forward\$3 originat\$3 initiat\$3) near3 (transfer\$5 transmit\$4 send\$3 forward\$3) near3 (destination receiv\$3 recipient stor\$3 archiv\$3 subscrib\$4 target\$3 end user client customer consumer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 14:19
L6	1235	5 and @ad<"20011211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:22
L7	133	6 and (packet same port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:31
L8	10	2 and (packet same port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:31

EAST Search History

L9	2	7 and (headend head-end) and MPEG and encrypt\$3 same format and algorithm same packet same (destination receiv\$3 subscrib\$4 target\$3 recipient end user client customer consumer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:50
L10	116	7 and ((destination receiv\$3 subscrib\$4 target\$3 recipient end user client customer consumer) adj3 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 14:49
L11	0	10 and (headend head-end) adj3 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5) same (destination receiv\$3 subscrib\$4 target\$3 recipient end user client customer consumer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:52
L12	0	10 and ((headend head-end) adj3 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5)) same (destination receiv\$3 subscrib\$4 target\$3 recipient end user client customer consumer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 14:54
L13	11	6 and ((headend head-end) adj3 (encrypt\$3 cipher\$3 encipher\$3 cryptographi\$5)) same (destination receiv\$3 subscrib\$4 target\$3 recipient end user client customer consumer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 16:52
L14	2	"20030108199".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 15:44
L15	375	6 and (secur\$3 near3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 16:54
L16	0	15 and (further adj2 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 16:54
L18	93	15 and (more adj2 encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 16:54

EAST Search History

L19	81	18 and (encrypt\$3 near3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 16:55
L20	14	19 and (without adj2 decrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 16:55